


APPENDIX A – DRAWING PACKAGE

Betley Street

24/03/2025


PURCELL 



1

0053

BETLEY STREET - SITE LOCATION PLAN  
SCALE 1:1250




KEY


Site Boundary Line

					CLIENT Cheshire East Council					
					JOB NUMBER	PROJECT	SIZE	SCALE		
					243231	CEF Crewe, Warm and Healthy Homes	A4P	As Indicated		
					TITLE Betley Street - Site Location Plan					
P01	18/03/2025	AM	MP	First Issue					PURCELL	
REV	DATE	BY	CHK	DESCRIPTION						
					REV SUITABILITY/REASON FOR ISSUE P01 S3 - For Review & Comment				PURCELL	
					DRAWING NUMBER 243231-PUR-03-00-DR-A-0053					

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA.  
© PURCELL 2025. www.purcelluk.com



1 Ground Floor Plan as Proposed  
1 : 50



2 First Floor Plan as Proposed  
1 : 50

**Notes:**

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

REV	DATE	BY	CHK	DESCRIPTION
P03	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P02	24/03/2025	MP	JPH	Issued For LBC
P01	05/03/2025	AM	MP	For Client Review

CLIENT  
**Cheshire East Council**

PROJECT  
**CEF Crewe, Warm & Healthy Homes**

JOB NUMBER  
**243231**


TITLE  
**Typical Betley Street Dwelling - Proposed Ground and First Floor Plans**


SIZE SCALE  
A3L 1 : 50

REV SUITABILITY/REASON FOR ISSUE  
**P03 S4 - For Approval/**

DRAWING NUMBER  
**243231-PUR-03-ZZ-DR-A-2040**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell.co.uk





1 Loft Plan as Proposed.  
1 : 50

All Existing PVC half round gutters and downpipes to be renewed with cast Iron equivalents. Refer to drawing 3211 for typical details.


Where necessary to replace roof coverings, new slates are to match the colour size and texture of the existing. Slates are to be installed on treated SW battens over a permeable roofing membrane with an eaves carrier and a continuous eaves ventilator

Loft hatch increased in size were necessary /desired. Maximum size 1200 x 700.

Existing rafters prevent safe access between loft space to 1970's extension and original cottage loft space.

New loft hatch with pull down ladder to be installed first floor ceiling. Refer to drawing 3020 for details.

Allow boarding out of loft space around new / enlarged hatches between existing purlins



2 Roof Plan as Proposed.  
1 : 50

Notes:

Drawings are based on survey data and may not accurately represent what is physically present.  
Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.  
All dimensions are in millimeters unless noted otherwise.  
Purcell shall be notified in writing of any discrepancies.  
All digital information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

REV	DATE	BY	CHK	DESCRIPTION
P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued For LBC
P02	17/03/2025	MP	JPH	For Client Review
P01	05/03/2025	AM	MP	For Client Review

CLIENT  
**Cheshire East Council**  
PROJECT  
**CEF Crewe, Warm & Healthy Homes**

JOB NUMBER  
**243231**  
TITLE  
**Typical Betley Street Dwelling - Proposed Loft and Roof Plan**

SIZE SCALE  
A3L 1 : 50

REV SUITABILITY/REASON FOR ISSUE  
**P04 S4 - For Approval/**


DRAWING NUMBER  
**243231-PUR-03-ZZ-DR-A-2041**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com




PURCELL







1 GA Principal Elevation as Proposed  
1 : 50



2 GA Rear Elevation as Proposed  
1 : 50



3 GA Section as Proposed  
1 : 50



4 GA Section as Proposed.  
1 : 50

#### Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.

#### Key Plan

not to scale

#### NOTES

##### Removal of cementitious pointing of brickwork with repointing with Lime Mortar

##### 1. Removal of existing cementitious mortar and cement patch repairs

- Where facades are to be repointed, rake out mortar joints well to a depth of 25mm minimum using chisels or hacksaw blades of appropriate width so as not to damage existing arrises and flush out with water. Remove cement pointing by using hand tools such as quirks or narrow chisels. Remove loose particles to make a good key for the new mortar. Clean out joints using dry air sprays and non ferrous or stiff bristle brushes.
- Remove cement patch repairs using hand tools only. This is best achieved by continual gentle tapping with a hammer at the centre of the repair until the different mechanical properties between the brick and the cementitious mix causes the two to part without damage. The process is lengthy and time should be allowed for it.
- Care is to be taken to avoid damage to the substrate, particularly where the repairs are deep and well-adhered. Avoid damage to edges of sound material.

##### 2. Repointing in Lime mortar

- Careful and sympathetic repointing is of the utmost importance in preserving the colour, texture and general character of old brickwork. Strong cement mortars are dark and harsh in colour; also they shrink and pull away the edges of the bricks. Flush pointing is unsuited to the irregularly shaped edges and faces of early brickwork and any form of struck pointing gives a hard and mechanical appearance to the wall. The following instructions are to be brought to the notice of every bricklayer and mason employed on the work and are to be carefully and fully carried out.
- Press the new mortar well into the joints to assist adhesion and to ensure that no voids are left. When the joints are filled the mortar is to finish slightly recessed from the general face of the brickwork so that the mortar does not encroach upon the irregular arrisses or spread over any worn or rounded edges of the bricks or stone.
- As soon as the mortar has taken the initial set it is to be stippled with a stiff bristle brush to produce a slightly rough surface.

##### 3. Lime Mortar Spec mix spec

##### 1. Mix:

- 1 part Hydraulic Lime, 3.5 NHL
- 1 part pit sand sieved to <2.36 mm. (Nosterfield or similar approved)
- 1/2 part fine red sand sieved to <600 microns
- 1 parts silica quartz sand sieved to <1000 microns (Leighton Buzzard or similar approved)

##### 2. Additives:

Add to the mix crushed chalk reference: "CKC", obtained from Lime Green Products Ltd

##### 4. Lime Mortar Spec mix Photo



P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued For LBC
P02	17/03/2025	MP	JPH	For Client Review
P01	05/03/2025	AM	MP	For Client Review
REV	DATE	BY	CHK	DESCRIPTION

#### CLIENT

Cheshire East Council

#### PROJECT

CEF Crewe, Warm & Healthy  
Homes  
JOB NUMBER

243231

PURCELL

#### TITLE

Typical Betley Street Dwelling - Proposed  
Elevations and Sections

#### SIZE SCALE

A1L 1 : 50

#### REV SUITABILITY/REASON FOR ISSUE


P04 S4 - For Approval

#### DRAWING NUMBER


243231-PUR-03-ZZ-DR-A-2130

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell.co.uk







1 Typical Section A-A Through Loft Hatch  
1 : 10



2 Typical Section B-B Through Loft Hatch  
1 : 10



3 Loft Hatch Location Plan ( First Floor )  
1 : 50



4 Loft Hatch Location Plan  
1 : 50

Notes:

Drawings are based on survey data and may not accurately represent what is physically present.  
Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.  
All dimensions are in millimeters unless noted otherwise.  
Purcell shall be notified in writing of any discrepancies.  
All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.

NOTES

- Loft hatches and access ladders may be installed within the zone identified on this drawings only.
- Roof / ceiling structure as shown is indicative due to lack of available access.

REV	DATE	BY	CHK	DESCRIPTION
P03	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P02	24/03/2025	MP	JPH	Issued For LBC
P01	17/03/2025	MP	JPH	For Client Review

CLIENT

Cheshire East Council

PROJECT

CEF Crewe, Warm & Healthy Homes

JOB NUMBER

243231

TITLE

Betley Street - Typical Loft Hatch Detail

SIZE SCALE


A1L As

REV 03 S4 - For Approval/













DRAWING NUMBER

243231-PUR-03-ZZ-DR-A-3030

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com







CLIENT  
**Cheshire East Council**

PROJECT  
**CEF Crewe, Warm & Healthy  
Homes**

JOB NUMBER  
**243231**


TITLE  
**Dorfold / Betley / Tollitt Street - Window  
Details as Proposed**

SIZE	SCALE
A1L	As indicated


REV	SUITABILITY/REASON FOR ISSUE
P07	S3 - For Review & Comment/

DRAWING NUMBER  
**243231-PUR-02-ZZ-DR-A-3120**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. [www.purcelluk.com](http://www.purcelluk.com)










14 mm slim doubled glazed Low E Sealed unit (4mm/6mm Warm Edge Spacer/4mm) krypton filled cavity.

Standard Warm Edge Spacer.  
Overall Window U-Value to be achieve 1.4 W/m2.K



1 Window Type A3 External Elevation  
1 : 10

2 Window Type A3 Internal Elevation  
1 : 10



3 Window Type B3 - External Elevation  
1 : 10

4 Window Type B3 - Internal Elevation  
1 : 10

#### L10 - External Window Specification

- Standard: To BS 644: 2012
- Operation & strength characteristics: To BS6375-2: 2009
- Timber: Generally, to BS EN 942: 2007
  - Species: Engineered Redwood / Engineered Grandis / Engineered Oak / Accoya
  - Moisture content on delivery: 10-16%
  - Certification: FSC chain of custody
- Thermal performance ( $U_{windowmax}$ ): 1.4 W/m2K
- Glazing System: 14mm slimline double glazing with Historic External Putty
- Glazing details: Factory glazed to meet performance specification Glazing unit:
  - g value:  $\leq 0.6$
  - Light transmittance:  $>70\%$

Colour: Windows to be finished externally in colour BS 4800 10 C 31 'Ivory / Champagne / Buttermilk'.

**REFER TO DRAWING 243231-PUR-02-ZZ-DR-A-3120 FOR IMAGES RELATING TO IRONMONGERY DESIGN INTENT**

#### Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimetres unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

Key Plan  
not to scale

#### NOTES:

For typical section details through windows refer to drawing 3120.

For window locations refer to drawings 2040, 2041, & 2042






P05	16/05/2025	MP	JPH	Paint Colours Amended
P04	01/05/2025	MP	JPH	Issued for Stage 4 Costing
P03	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P02	24/03/2025	MP	JPH	Issued For LBC
P01	17/03/2025	MP	JPH	For Client Review
REV	DATE	BY	CHK	DESCRIPTION

CLIENT	Cheshire East Council
PROJECT	CEF Crewe, Warm & Healthy Homes
JOB NUMBER	243231
	PURCELL

TITLE	Betley Street - Window Details as Proposed - DESIGN INTENT
-------	--






SIZE	SCALE
A3L	1 : 10
REV	SUITABILITY/REASON FOR ISSUE
P05	S3 - For Review & Comment/
DRAWING NUMBER	243231-PUR-03-ZZ-DR-A-3121
PURCELL IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com	





PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. [www.purcelluk.com](http://www.purcelluk.com)





#### Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.

#### Key Plan

not to scale

#### L20 - External Door Specification - Open In doorset

- Standard: To BS 644: 2012
- Exposure Rating to BS 6375-1: 2015 - 2000
  - Air Permeability: Class 2 (300Pa)
  - Weather Tightness: Class 4A (150Pa)
  - Resistance to Wind Load: Class A3 (1200Pa)
- Operation & strength characteristics: To BS6375-2: 2009
- Timber: Generally, to BS EN 942: 2007
  - Species: Engineered Redwood / Engineered Grandis / Engineered Oak / Accoya
  - Moisture content on delivery: 10-16%
  - Certification: FSC chain of custody
- Thermal performance (Udoormaximum): 1.4 W/m²K
  - 15mm insulated core to door
- Acoustic performance: 38 dB
- Security: Certified to PAS 24 and Secured by Design
- Colour: Door to be finished externally in RAL 170 40 15 Palace Green or RAL 1014 'Classic Ivory'. Internal finish to be 9003 Signal White.

#### Ironmongery Design Intent:



P06	16/05/2025	MP	JPH	Paint Colours Amended
P05	01/05/2025	MP	JPH	Issued for Stage 4 Costing
P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued for LBC
P02	19/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

#### CLIENT


Cheshire East Council

#### PROJECT

CEF Crewe, Warm & Healthy Homes

JOB NUMBER

243231



#### TITLE

Dorfold / Betley / Tollit / Victoria Street - External Door Type B as Proposed - DESIGN INTENT

#### SIZE

A1L

#### SCALE

As indicated

#### REV

SUITABILITY/REASON FOR ISSUE  
P06 S3 - For Review & Comment

#### DRAWING NUMBER


243231-PUR-02-ZZ-DR-A-3125

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell®.com






1 Typical Rear Elevation as Proposed  
1 : 50



2 Typical Back Yard Plan as Proposed  
1 : 50




6 Rear Gate - Front Elevation  
1 : 10




4 Typical Coping Detail to party walls  
NTS




4 Typical Coping Detail to Rear / Side Boundary walls  
NTS




5 Boundary to Party Wall Connection Detail  
1 : 5



8 Section Through Party Wall as Proposed  
1 : 5



4 Party Wall Elevation as Proposed  
1 : 50



7 Rear Gate - Rear Elevation  
1 : 10

Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.


P06	16/05/2025	MP	JPH	Paint Colours Amended
P05	01/05/2025	MP	JPH	Issued for Stage 4 Costing
P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued for LBC
P02	19/03/2025	MP	JPH	Issued for Review
P01	04/03/2025	MP	JPH	Issued for Review
REV	DATE	BY	CHK	DESCRIPTION

CLIENT  
**Cheshire East Council**  
PROJECT  
**CEF Crewe, Warm & Healthy Homes**


JOB NUMBER  
**243231**  
TITLE  
**Dorfold / Betley / Tollitt - Brick Copings Details to Boundary & Part Walls**

SIZE SCALE  
A1L As indicated  
REV SUITABILITY/REASON FOR ISSUE  
**P06 S3 - For Review & Comment/**  
DRAWING NUMBER  
**243231-PUR-02-XX-DR-A-3201**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com







Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimetres unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

Notes:

Products:

•

125 mm dia CHR-1829 Cast Iron Half Round Gutter

•

75 mm dia 6RWPED Cast Iron Round Downpipes

Finish: Factory finish to RAL 170 40 15 RAL Design ' Palace Green', including Accessories: Allow for all required union clips, outlets, stop ends, angled sections, fascia and rafter brackets, and offset bends, shoes, etc

•

Refer to repair schedules for approximate linear metreage of guttering / downpipes across Dorfold, Betley, & Tollitt Streets

P03	16/05/2025	MP	JPH	Proposed Paint Colours Amended	
P02	01/05/2025	MP	JPH	Issued for Stage 4 Costing	
P01	24/03/2025	MP	JPH	Issued for LBC	
REV	DATE	BY	CHK	DESCRIPTION	

CLIENT

Cheshire East Council

PROJECT

CEF Crewe, Warm and Healthy Homes

JOB NUMBER

243231

TITLE

Dorfold/ Betley / Tollitt Street - Typical Guttering Details

SIZE

SCALE

A1L

1 : 5

REV

SUITABILITY/REASON FOR ISSUE

P03

S2 - For Information/

DRAWING NUMBER

243231-PUR-02-ZZ-DR-A-3211

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com

PURCELL



APPENDIX B – 03 BETLEY STREET  
Betley Street – Photo Reference

04/04/2025

PURCELL 

**Mark Popely**

St James's Building

79 Oxford St

Manchester

M1 6FQ

[info@purcelluk.com](mailto:info@purcelluk.com)

[www.purcelluk.com](http://www.purcelluk.com)

All rights in this work are reserved. No part of this work may be reproduced, stored or transmitted in any form or by any means (including without limitation by photocopying or placing on a website) without the prior permission in writing of Purcell except in accordance with the provisions of the Copyright, Designs and Patents Act 1988. Applications for permission to reproduce any part of this work should be addressed to Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).

Undertaking any unauthorised act in relation to this work may result in a civil claim for damages and/or criminal prosecution. Any materials used in this work which are subject to third party copyright have been reproduced under licence from the copyright owner except in the case of works of unknown authorship as defined by the Copyright, Designs and Patents Act 1988. Any person wishing to assert rights in relation to works which have been reproduced as works of unknown authorship should contact Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).



## APPENDIX B - 03 BETLEY STREET



Purcell asserts its moral rights to be identified as the author of this work under the Copyright, Designs and Patents Act 1988.



Purcell® is the trading name of Purcell Architecture LTD.

© Purcell 2025




## EXISTING PHOTO REFERENCE SCHEDULE


Photographs in the schedule below act as a reference for 'like for like' replacements, where the proposal is required to match the existing fabric. Proposals should be submitted to the Local Planning Authority for approval prior to the ordering of any materials and commencement of works.

Items	Description	Photo Reference
Chimney Pots	<p>Replacement chimney pots are to be cream clay and match the existing in size.</p> <p>Cream clay pepper pot ventilators are advisable where appropriate to keep the weather out of redundant flues.</p>	
Coping to Chimney Stacks	<p>Replacement buff stone copings are to match existing in size, profile and geology.</p> <p>Where original stone coping has been previously been replaced with brick. Renewal of is to be on a like for like basis as the existing.</p>	

		 <p>Example of where coping has been replaced with brick</p>
<p>Blue Clay Ridge Tiles</p>	<p>These may be new or salvaged, plain or flaunches but must match the existing in colour, size/profile and finish of the existing.</p>	

APPENDIX B - 03 BETLEY STREET

<p>Replacement Joinery for Barge boards to Gable ends</p>	<p>Wrot softwood timber boards to match the size, moulded profile and decorative features of the existing.</p>	
<p>Replacement Joinery for Barge boards to projecting rear gable</p>	<p>Wrot softwood timber boards to match the size, moulded profile and decorative features of the existing.</p>	
<p>Replacement blue clay pitched wall coping on the rear boundary.</p>	<p>New or salvaged blue clay triangular coping bricks to match the colour, size and finish of the existing.</p>	

<p>Replacement of blue engineering brick copings to side/ party yard walls</p>	<p>New or salvaged blue clay engineering brick to form a coping on side walls and act as a DPC. To match the colour size and texture of the existing. Refer to drawing 3201 for coping detail.</p>	
<p>Replacement yard gates</p>	<p>Treated softwood ledged and braced gate with tongue and grooved boarding over and a pitched hardwood capping, fitting with a Suffolk latch to match the existing height (to the underside of the adjacent wall coping), to match the existing. Refer to drawing 3201</p>	




APPENDIX A – DRAWING PACKAGE


Tollitt Street

24/03/2025

PURCELL 




1  
0054  
TOLLITT STREET - SITE LOCATION PLAN  
SCALE 1:1250




**KEY**


Site Boundary Line

					CLIENT <b>Cheshire East Council</b>				 <b>PURCELL</b>			
					JOB NUMBER <b>243231</b>		PROJECT <b>CEF Crewe, Warm and Healthy Homes</b>					
					TITLE <b>Tollitt Street - Site Location Plan</b>		SIZE SCALE <b>A4P As Indicated</b>					
							REV SUITABILITY/REASON FOR ISSUE <b>P01 S3 - For Review &amp; Comment</b>					
							DRAWING NUMBER <b>243231-PUR-04-00-DR-A-0054</b>					
P01	18/03/2025	AM	MP	First Issue								
REV	DATE	BY	CHK	DESCRIPTION								

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA.  
© PURCELL 2025. www.purcelluk.com



1 Ground Floor as Proposed  
1 : 50



2 First Floor as Proposed  
1 : 50

**Notes:**

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

**Key Plan**  
not to scale

P05	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P04	24/03/2025	MP	JPH	Issued for LBC
P03	19/03/2025	MP	JPH	Issued for Review
P02	04/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

**CLIENT**  
Cheshire East Council

**PROJECT**  
CEF Crewe, Warm & Healthy Homes

**JOB NUMBER**  
243231

**PURCELL**


**TITLE**  
Typical Dorfold / Tollitt Street Dwelling - Proposed Ground and First Floor Plans

**SIZE** A3L  
**SCALE** 1 : 50

**REV** P05  
**SUITABILITY/REASON FOR ISSUE** S4 - For Approval/

**DRAWING NUMBER**  
243231-PUR-02-ZZ-DR-A-2020

PURCELL IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com



*All existing PVC rainwater goods to be renewed in Cast Iron.*


*Refer to drawing 3211 for typical details*

*Where necessary to replace roof coverings new slates are to match the colour size and texture of the existing. Slates are to be installed on treated SW battens over a permeable roofing membrane with an eaves carrier and a continuous eaves ventilator*

*Existing rafters prevent safe access between loft space to 1970's extension and original cottage loft space.*

*New loft hatch with pull down ladder to be installed first floor ceiling. Refer to drawing 3020 for details.*

*Allow boarding out of loft space around new / enlarged hatches between existing purlins*



1 Loft Plan as Proposed  
1 : 50

2 Roof Plan as Proposed  
1 : 50

**Notes:**

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

**Key Plan**  
not to scale

P05	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P04	24/03/2025	MP	JPH	Issued for LBC
P03	19/03/2025	MP	JPH	Issued for Review
P02	04/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

CLIENT


**Cheshire East Council**

PROJECT

**CEF Crewe, Warm & Healthy Homes**

JOB NUMBER

**243231**



PURCELL

TITLE

**Typical Dorfold / Tollitt Street Dwelling - Proposed Loft and Roof Plan**

SIZE SCALE

A3L 1 : 50

REV SUITABILITY/REASON FOR ISSUE


**P05 S4 - For Approval/**

DRAWING NUMBER


**243231-PUR-02-ZZ-DR-A-2021**

PURCELL IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com







1 Principal Elevation as Proposed  
1 : 50



3 GA Section as Proposed A-A  
1 : 50



2 Rear Elevation as Proposed  
1 : 50



4 GA Section as Proposed B-B  
1 : 50

#### Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

#### Key Plan not to scale

#### NOTES

##### Removal of cementitious pointing of brickwork with repointing with Lime Mortar

##### 1. Removal of existing cementitious mortar and cement patch repairs

- Where facades are to be repointed, rake out mortar joints well to a depth of 25mm minimum using chisels or hacksaw blades of appropriate width so as not to damage existing arises and flush out with water. Remove cement pointing by using hand tools such as quirks or narrow chisels. Remove loose particles to make a good key for the new mortar. Clean out joints using dry air sprays and non ferrous or stiff bristle brushes.
- Remove cement patch repairs using hand tools only. This is best achieved by continual gentle tapping with a hammer at the centre of the repair until the different mechanical properties between the brick and the cementitious mix causes the two to part without damage. The process is lengthy and time should be allowed for it.
- Care is to be taken to avoid damage to the substrate, particularly where the repairs are deep and well-adhered. Avoid damage to edges of sound material.

##### 2. Repointing in Lime mortar

- Careful and sympathetic repointing is of the utmost importance in preserving the colour, texture and general character of old brickwork. Strong cement mortars are dark and harsh in colour; also they shrink and pull away the edges of the bricks. Flush pointing is unsuited to the irregularly shaped edges and faces of early brickwork and any form of struck pointing gives a hard and mechanical appearance to the wall. The following instructions are to be brought to the notice of every bricklayer and mason employed on the work and are to be carefully and fully carried out.
- Press the new mortar well into the joints to assist adhesion and to ensure that no voids are left. When the joints are filled the mortar is to finish slightly recessed from the general face of the brickwork so that the mortar does not encroach upon the irregular arisesses or spread over any worn or rounded edges of the bricks or stone.
- As soon as the mortar has taken the initial set it is to be stippled with a stiff bristle brush to produce a slightly rough surface.

##### 3. Lime Mortar Spec mix spec

##### 1. Mix:

- 1 part Hydraulic Lime, 3.5 NHL
- 1 part pit sand sieved to <2.36 mm. (Nosterfield or similar approved)
- 1/2 part fine red sand sieved to <600 microns
- 1 parts silica quartz sand sieved to <1000 microns (Leighton Buzzard or similar approved)

##### 2. Additives:

Add to the mix crushed chalk reference: "CKC", obtained from Lime Green Products Ltd

##### 4. Lime Mortar Spec mix Photo



P05	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P04	24/03/2025	MP	JPH	Issued for LBC
P03	19/03/2025	MP	JPH	Issued for Review
P02	04/03/2025	MP	JPH	Issued for Review
P01	21/11/2024	MP	MP	Issued for Information
REV	DATE	BY	CHK	DESCRIPTION


#### CLIENT

Cheshire East Council

#### PROJECT

CEF Crewe, Warm & Healthy  
Homes  
JOB NUMBER

243231



#### TITLE

Typical Dorfold / Tollitt Street Dwelling -  
Proposed Elevations and Sections

#### SIZE SCALE

A1L 1 : 50

#### REV SUITABILITY/REASON FOR ISSUE


P05 S4 - For Approval

#### DRAWING NUMBER


243231-PUR-02-ZZ-DR-A-2120

PURCELL IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell.co.uk







1 Typical Section A-A Through Loft Hatch  
1:10



2 Typical Section B-B Through Loft Hatch  
1:10



4 Loft Hatch Location Plan ( First Floor )  
1:50



3 Loft Hatch Location Plan  
1:50

**Notes:**  
Drawings are based on survey data and may not accurately represent what is physically present.  
Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.  
All dimensions are in millimeters unless noted otherwise.  
Purcell shall be notified in writing of any discrepancies.  
All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.


- NOTES**
- Loft hatches and access ladders may be installed within the zone identified on this drawings only.
  - Roof / ceiling structure as shown is indicative due to lack of available access.

P05	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P04	24/03/2025	MP	JPH	Issued for LBC
P03	19/03/2025	MP	JPH	Issued for Review
P02	04/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

CLIENT  
**Cheshire East Council**  
PROJECT  
**CEF Crewe, Warm & Healthy Homes**


JOB NUMBER  
**243231**  
TITLE  
**Dorfold / Tollitt Street - Typical Loft Hatch Detail**

SIZE SCALE  
A1L As indicated  
REV SUITABILITY/REASON FOR ISSUE  
**P05 S4 - For Approval/**  
DRAWING NUMBER  
**243231-PUR-02-ZZ-DR-A-3020**



PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com





1 External Door Type A as Proposed - External Elevation  
1 : 10

House number to be located central to top rail.


Door to be finished externally in RAL 170 40 15 Palace Green. Refer to Appendix C.

Double glazed vision panel with putty finish.


14mm Slim double glazed unit with warm edge spacers and argon filled cavity. Overall U-Value to achieve between 1.2 and 1.4 W/m²K.

Letter box to match existing

Existing external Architrave profile to be retained and redecorated.



2 External Door Type A as Proposed - Section  
1 : 10



3 External Door Type A as Proposed - Internal Elevation  
1 : 10

Existing external Architrave profile to be retained and redecorated.

Allow for making good of reveals following installation of new door.

Door to be finished externally in RAL 170 40 15 Palace Green. Refer to Appendix C.










Slim Double glazed vision panel.

Letter box

General setting out of door arrangement to match existing.

Overall U-Value of door to achieve between 1.4 and 1.2 W/m²K

Door panels to have 15mm insulated core (Optional).



6 External Door Type A as Proposed - Plan Detail  
1 : 2

4 External Door Type A as Proposed - Section Detail  
1 : 2

#### Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information may be reused or reproduced by any party for any purpose without written permission.

#### Key Plan

not to scale

#### L20 - External Door Specification - Open In doorset

- Standard: To BS 644: 2012
- Exposure Rating to BS 6375-1: 2015 - 2000
  - Air Permeability: Class 2 (300Pa)
  - Weather Tightness: Class 4A (150Pa)
  - Resistance to Wind Load: Class A3 (1200Pa)
- Operation & strength characteristics: To BS6375-2: 2009
- Timber: Generally, to BS EN 942: 2007
  - Species: Engineered Redwood / Engineered Grandis / Engineered Oak / Accoya
  - Moisture content on delivery: 10-16%
  - Certification: FSC chain of custody
- Thermal performance (Uwindowmaximum): 1.4 W/m²K
- Acoustic performance: 38 dB
- Glazing System: Historic External Putty
- Glazing details: Factory glazed to meet performance specification Glazing unit:
  - g value: <= 0.6
  - Light transmittance: >70%
- Colour: Door to be finished externally in RAL 170 40 15 Palace Green

P05	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P04	24/03/2025	MP	JPH	Issued for LBC
P03	19/03/2025	MP	JPH	Issued for Review
P02	04/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

#### CLIENT

Cheshire East Council

#### PROJECT

CEF Crewe, Warm & Healthy Homes

JOB NUMBER

243231

#### TITLE

Dorford / Betley / Tollitt Street - External Door Type A as Proposed

#### SIZE

A1L As indicated

#### REV


SUITABILITY/REASON FOR ISSUE

P05 S4 - For Approval














#### DRAWING NUMBER

243231-PUR-02-ZZ-DR-A-3124

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell.co.uk







CLIENT  
**Cheshire East Council**

PROJECT  
**CEF Crewe, Warm & Healthy  
Homes**

JOB NUMBER  
**243231**


TITLE  
**Dorfold / Betley / Tollitt Street - Window  
Details as Proposed**

SIZE	SCALE
A1L	As indicated

REV	SUITABILITY/REASON FOR ISSUE
P07	S3 - For Review & Comment/







DRAWING NUMBER  
**243231-PUR-02-ZZ-DR-A-3120**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. [www.purcelluk.com](http://www.purcelluk.com)






PURCELL









**Notes:**

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.

- Key Plan**  
not to scale
- L20 - External Door Specification - Open In doorset
- Standard: To BS 644: 2012
  - Exposure Rating to BS 6375-1: 2015 - 2000
    - Air Permeability: Class 2 (300Pa)
    - Weather Tightness: Class 4A (150Pa)
    - Resistance to Wind Load: Class A3 (1200Pa)
  - Operation & strength characteristics: To BS6375-2: 2009
  - Timber: Generally, to BS EN 942: 2007
    - Species: Engineered Redwood / Engineered Grandis / Engineered Oak / Accoya
    - Moisture content on delivery: 10-16%
    - Certification: FSC chain of custody
  - Thermal performance (Udoormaximum): 1.4 W/m²K
    - 15mm insulated core to door
  - Acoustic performance: 38 dB
  - Security: Certified to PAS 24 and Secured by Design
  - Colour: Door to be finished externally in RAL 170 40 15 Palace Green or RAL 1014 'Classic Ivory'. Internal finish to be 9003 Signal White.



P06	16/05/2025	MP	JPH	Paint Colours Amended
P05	01/05/2025	MP	JPH	Issued for Stage 4 Costing
P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued for LBC
P02	19/03/2025	MP	JPH	Issued for Review
P01	06/12/2024	MP	JPH	Issued for Costing
REV	DATE	BY	CHK	DESCRIPTION

CLIENT  
**Cheshire East Council**

PROJECT  
**CEF Crewe, Warm & Healthy Homes**

JOB NUMBER  
**243231**

PURCELL

TITLE  
**Dorfold / Betley / Tollit / Victoria Street - External Door Type B as Proposed - DESIGN INTENT**

SIZE SCALE  
A1L As indicated

REV SUITABILITY/REASON FOR ISSUE  
**P06 S3 - For Review & Comment**


DRAWING NUMBER  
**243231-PUR-02-ZZ-DR-A-3125**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcell®.com






1 Typical Rear Elevation as Proposed  
1 : 50



2 Typical Back Yard Plan as Proposed  
1 : 50




6 Rear Gate - Front Elevation  
1 : 10




4 Typical Coping Detail to party walls  
NTS




4 Typical Coping Detail to Rear / Side Boundary walls  
NTS




5 Boundary to Party Wall Connection Detail  
1 : 5



8 Section Through Party Wall as Proposed  
1 : 5



4 Party Wall Elevation as Proposed  
1 : 50



7 Rear Gate - Rear Elevation  
1 : 10

Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

All digital Information within this DWG format file is the copyright of Purcell Architecture Limited and is for information purposes only. No digital information maybe be reused or reproduced by any party for any purpose without written permission.


P06	16/05/2025	MP	JPH	Paint Colours Amended
P05	01/05/2025	MP	JPH	Issued for Stage 4 Costing
P04	02/04/2025	MP	JPH	Notes Amended - Issued for LBC
P03	24/03/2025	MP	JPH	Issued for LBC
P02	19/03/2025	MP	JPH	Issued for Review
P01	04/03/2025	MP	JPH	Issued for Review
REV	DATE	BY	CHK	DESCRIPTION

CLIENT  
**Cheshire East Council**  
PROJECT  
**CEF Crewe, Warm & Healthy Homes**


JOB NUMBER  
**243231**  
TITLE  
**Dorfold / Betley / Tollitt - Brick Copings Details to Boundary & Part Walls**

SIZE SCALE  
A1L As indicated  
REV SUITABILITY/REASON FOR ISSUE  
**P06 S3 - For Review & Comment/**  
DRAWING NUMBER  
**243231-PUR-02-XX-DR-A-3201**

PURCELL® IS THE REGISTERED TRADE NAME FOR PURCELL ARCHITECTURE LTD AND ALL SUBSIDIARY COMPANIES AND IS REGISTERED IN THE UNITED KINGDOM, EUROPEAN UNION, HONG KONG, CHINA AND AUSTRALIA. © PURCELL 2024. www.purcelluk.com









## APPENDIX B – 04 TOLLITT STREET

Tollitt Street – Photo Reference

04/04/2025

PURCELL 

**Mark Popely**

St James's Building

79 Oxford St

Manchester

M1 6FQ

[info@purcelluk.com](mailto:info@purcelluk.com)

[www.purcelluk.com](http://www.purcelluk.com)

All rights in this work are reserved. No part of this work may be reproduced, stored or transmitted in any form or by any means (including without limitation by photocopying or placing on a website) without the prior permission in writing of Purcell except in accordance with the provisions of the Copyright, Designs and Patents Act 1988. Applications for permission to reproduce any part of this work should be addressed to Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).

Undertaking any unauthorised act in relation to this work may result in a civil claim for damages and/or criminal prosecution. Any materials used in this work which are subject to third party copyright have been reproduced under licence from the copyright owner except in the case of works of unknown authorship as defined by the Copyright, Designs and Patents Act 1988. Any person wishing to assert rights in relation to works which have been reproduced as works of unknown authorship should contact Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).



#### APPENDIX B - 04 TOLLITT STREET



Purcell asserts its moral rights to be identified as the author of this work under the Copyright, Designs and Patents Act 1988.

Purcell® is the trading name of Purcell Architecture LTD.





© Purcell 2025




## EXISTING PHOTO REFERENCE SCHEDULE

Photographs in the schedule below act as a reference for 'like for like' replacements, where the proposal is required to match the existing fabric. Proposals should be submitted to the Local Planning Authority for approval prior to the ordering of any materials and commencement of works.


Items	Description	Photo Reference
Chimney Pots	<p>Replacement chimney pots are to be cream clay and match the existing in size.</p> <p>Cream clay pepper pot ventilators are advisable where appropriate to keep the weather out of redundant flues.</p>	
Coping to Chimney Stacks	<p>Replacement buff stone copings are to match existing in size, profile and geology.</p> <p>Where original stone coping has been previously been replaced with brick. Renewal of is to be on a like for like basis as the existing.</p>	



Blue Clay Ridge Tiles	These may be new or salvaged, plain or flaunched but must match the existing in colour, size/profile and finish of the existing.	 <p>'Uncapped' Ridge Tile Variant</p>  <p>'Flaunched' Ridge Tile Variant</p>
Replacement Joinery for Barge boards to projecting rear gable	Wrot softwood timber boards to match the size, moulded profile and decorative features of the existing.	
Replacement Joinery for Barge boards to Gable end	Wrot softwood timber boards to match the size, moulded profile and decorative features of the existing.	
Replacement Joinery for Barge boards to	Wrot softwood timber boards to match the size, moulded profile	

front projecting front Gable	and decorative features of the existing.	
Replacement blue clay pitched wall coping on the rear boundary.	New or salvaged blue clay triangular coping bricks to match the colour, size and finish of the existing.	
Replacement of blue engineering brick copings to side/ party yard walls	New or salvaged blue clay engineering brick to form a coping on side walls and act as a DPC. To match the colour size and texture of the existing. Refer to drawing 3201 for coping detail.	



<p>Replacement yard gates</p>	<p>Treated softwood ledged and braced gate with tongue and grooved boarding over and a pitched hardwood capping, fitting with a Suffolk latch to match the existing height (to the underside of the adjacent wall coping), to match the existing. Refer to drawing 3201 for typical gate detail.</p>	
-------------------------------	--	--

## APPENDIX C – COLOUR SWATCHES

Dorfold, Betley and Tollitt Street

16/05/2025

PURCELL 



## Revisions

P01 – 04/04/2025

P02 – 16/05/2025

## Mark Popely

St James's Building

79 Oxford St

Manchester

M1 6FQ

[info@purcelluk.com](mailto:info@purcelluk.com)

[www.purcelluk.com](http://www.purcelluk.com)

All rights in this work are reserved. No part of this work may be reproduced, stored or transmitted in any form or by any means (including without limitation by photocopying or placing on a website) without the prior permission in writing of Purcell except in accordance with the provisions of the Copyright, Designs and Patents Act 1988. Applications for permission to reproduce any part of this work should be addressed to Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).

Undertaking any unauthorised act in relation to this work may result in a civil claim for damages and/or criminal prosecution. Any materials used in this work which are subject to third party copyright have been reproduced under licence from the copyright owner except in the case of works of unknown authorship as defined by the Copyright, Designs and Patents Act 1988. Any person wishing to assert rights in relation to works which have been reproduced as works of unknown authorship should contact Purcell at [info@purcelluk.com](mailto:info@purcelluk.com).

Purcell asserts its moral rights to be identified as the author of this work under the Copyright, Designs and Patents Act 1988.

Purcell® is the trading name of Purcell Architecture LTD.











## COLOUR SWATCHES FOR DECORATION SCHEME






Colour references in the schedule below act as a reference where the proposal is required to redecorate to match the existing fabric. Proposals should be submitted to the Local Planning Authority for approval prior to the ordering of any materials, and commencement of works.

Items	Photo Reference	Description	Colour Reference
External Front Door		<b>BS 4800 14 C 39</b> 'Hollybush'	
Rear Gate		<b>BS 4800 14 C 39</b> 'Hollybush'	
Rainwater Goods		<b>BS 4800 00 E 53</b> 'Black'	

APPENDIX C - COLOUR SWATCHES



<p>Front Porch Gates</p>		<p><b>BS 4800 00 E 53</b> 'Black'</p>	
<p>Window frames</p>		<p><b>BS 4800 10 C 31</b> 'Ivory / Champagne / Buttermilk'</p>	
<p>Window / threshold Stone Sills</p>		<p><b>BS 4800 14 C 39</b> 'Van Dyke'</p>	

APPENDIX C - COLOUR SWATCHES

<p>External Rear Door</p>		<p><b>Allow for either:</b></p> <p><b>BS 4800 10 C 31</b> 'Ivory / Champagne / Buttermilk'</p> <p><b>OR</b></p> <p><b>BS 4800 14 C 39</b> 'Hollybush'</p>	 
<p>Front Porch timber work.</p>		<p><b>BS 4800 10 C 31</b> 'Ivory / Champagne / Buttermilk'</p>	



APPENDIX C - COLOUR SWATCHES

<p>Barge Boards and Facias</p>		<p><b>BS 4800 10 C 31</b> 'Ivory / Champagne / Buttermilk'</p>	
------------------------------------	---	--	---